- All students must present documentation of up-to-date immunization status, including month, day, and year of each immunization before attending school.
- The Advisory Committee on Immunization Practices (ACIP) allows a 4-day grace period. Students in all grade levels may receive immunizations up to four days before the due date.
- Required immunizations should be administered according to the current Advisory Committee on Immunization Practices Schedule, including all spacing, (<u>http://www.cdc.gov/vaccines/schedules/index.html</u>).
- To remain in school, students "in progress" must have an Immunization In Progress form (Imm.P.14) on file. In progress means that a child has begun the vaccine series and has an appointment for the next dose. This appointment must be kept and an updated record provided to the school. If the appointment is not kept, the child is no longer in progress and is noncompliant. (i.e., Hep B vaccine series was started but the child is not yet eligible to receive the next dose in the series.)
- Religious (Imm.P.11A) and Medical (Imm.P.12) exemptions are allowed. The appropriate exemption card must be on file. Unimmunized children are subject to exclusion from school when outbreaks of vaccine-preventable diseases occur.

Vaccines Required for School Attendance	Dose Required by Grade												
	Κ	1	2	3	4	5	6	7	8	9	10	11	12
DTaP/DTP/DT ¹	4+	4+	4+	4+	4+	4+	4+	4+	4+	4+	4+	4+	4+
Tdap ²									1	1	1	1	1
MCV ³ (Meningococcal Conjugate)									1	1	1		2
IPV (Polio) ⁴	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+
MMR ⁵	2	2	2	2	2	2	2	2	2	2	2	2	2
Hepatitis B ⁶	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+	3+
Varicella ⁷	2	2	2	2	2	2	2	2	2	1	1	1	1

- 1. Last dose on or after the fourth birthday and the last dose of pediatric pertussis before the seventh birthday. **Maximum needed**: six doses.
- 2. <u>8-12 Grades</u>: Tdap, which contains pertussis vaccine, is required.
- 3. <u>Grade 8-10</u>: One dose of MCV is required. Dose must be given after 10 years of age.

<u>Grade 12</u>: Two doses of MCV are required unless the first dose was administered to a student who was 16 years of age or older, in which case only one dose is required. At least one dose must be given after 16 years of age.

4. <u>Kindergarten-8 Grade</u>: Last dose must be administered on or after the fourth birthday. The interval between the nextto-last and last dose should be at least six months.

<u>9-12 Grades</u>: Last dose on or after the fourth birthday. Any combination of four doses of IPV and OPV constitutes a complete series. **Maximum needed**: four doses.

- 5. First dose must be given on or after twelve months of age.
- 6. There must be at least four weeks between dose one and two; at least 8 weeks between dose two and three; at least 16 weeks between doses one and three and final dose must be given no earlier than 24 weeks of age.
- 7. First dose must be given on or after twelve months of age.

<u>Kindergarten-8 Grade</u>: As satisfactory evidence of disease, a licensed health care provider may sign and place on file with the school a written statement documenting the month and year of previous varicella (chickenpox) disease.

<u>9-12 Grades</u>: As satisfactory evidence of disease, a parent/guardian or MD or DO may sign and place on file with the school a written statement documenting the month and year of previous varicella (chickenpox) disease.

